

the best - just got better... and bigger

# XX-LARGE




**TOTAL 14 DRAWERS WITH 1.129 OR 1.151 TOOLS**

# CONTENT XX-LARGE


1875 S13 1000+ TOOL SET - 1129 TOOLS

ITEM NO. 1875-1129 5704196 043883 84,5 KG



**CONTENT:**

QTY.	DESCRIPTION	SIZE
11	6-point sockets	5014 1/4" 4 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
10	Long 6-point sockets	5014 1/4" L 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
5	Sockets - Torx® screws	5014 1/4" NTX E4 - E5 - E6 - E7 - E8
1	Ratchet, 60 teeth	5314 1/4" E
1	Universal joint	5814 1/4" U
1	Screwdriver bit socket	4714 1/4" x 1/4"
1	Spinner handle	5514 1/4" HD
4	Extensions	5214 1/4" EX 50 - 100 - 150 - 300 mm
24	6-point sockets	5012 1/2" 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 30 - 32 mm
14	Long 6-point sockets	5012 1/2" L 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 mm
9	Sockets - Torx® screws	5012 1/2" NTX E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24
1	Ratchet, 60 teeth	5312 1/2" E
1	Universal joint	5812 1/2" E
1	Adaptor 1/2" x 3/8"	5712 1/2" A
2	Extensions	5212 1/2" EX 125 - 250 mm
2	Wobble extensions	5212 1/2" EXW 75 - 125 mm



**CONTENT:**

QTY.	DESCRIPTION	SIZE
9	Socket drivers - hex head screws	5112 1/2" H 5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm
9	Socket drivers - Torx® screws	5112 1/2" TX T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60
8	Socket drivers - XZN® screws	5112 1/2" XZN M5 - M6 - M8 - M9 - M10 - M12 - M14 - M16
2	Socket drivers - Phillips® screws	5112 1/2" PH 3 - 4
2	Socket drivers - Pozidriv® screws	5112 1/2" PZ 3 - 4
3	Socket drivers - slotted screws	5112 1/2" 8 - 10 - 12 mm
9	Long socket drivers - hex head screws	5112 1/2" HL 5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm
9	Long socket drivers - Torx® screws	5112 1/2" TXL T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60
8	Long socket drivers - XZN® screws	5112 1/2" XZNL M5 - M6 - M8 - M9 - M10 - M12 - M14 - M16




1129 TOOLS  
MEGA 1000+



CONTENT:

QTY.	DESCRIPTION	SIZE
17	6-point sockets	5038 3/8" 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24 mm
16	Long 6-point sockets	5038 3/8" L6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
3	Spark plug sockets	5038 3/8" SP 16-18-21 mm
5	Sockets - Torx® screws	5038 3/8" NTX E10 - E12 - E14 - E16 - E18
9	Socket drivers - Torx® screws	5138 3/8" TX T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50
9	Socket drivers - Tamper resistant® Torx® screws	5138 3/8" STX T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50
8	Socket drivers - hex head screws	5138 3/8" H 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
3	Socket drivers - XZN® screws	5138 3/8" XZN M7 - M8 - M10
9	Long socket drivers - Torx® screws	5138 3/8" TXL T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50
8	Long socket drivers - hex head screws	5138 3/8" HL 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
9	Long socket drivers - XZN® screws	5138 3/8" XZNL M5 - M6 - M7 - M8 - M10 - M11 - M12 - M13 - M14
1	Ratchet, 60 teeth	5338 3/8" E
1	Universal joint	5838 3/8" U
1	Spinner handle	5538 3/8" HD
3	Extensions	5238 3/8" EX 75 - 125 - 500mm
1	Wobble extension	5238 3/8" EXW 75 mm
1	Adaptor	5738 3/8" A 3/8" x 1/4"
1	Adaptor	5638 3/8" A 3/8" x 1/2"




CONTENT:

QTY.	DESCRIPTION	SIZE
7	Screwdrivers - slotted screws	4000 SL 3x75 - 4x100 - 5.5x100 - 5.5x125 - 6.5x100 - 8x150 - 10x200 mm
7	Screwdrivers - Tamper resistant Torx® screws	4030 STX T8 - T9 - T10 - T15 - T20 - T25 - T30
3	Screwdrivers - Phillips® screws	4010 PH 0 x 60 - PH 1 x 80 - PH 2 x 100 mm
2	Screwdrivers - Pozidriv® screws	4020 PZ 2 x 100 - PZ 3 x 150 mm
1	Stubby Screwdriver - slotted screws	4003 SL 6.5 x 25 mm
1	Stubby Screwdriver - Phillips® screws	4013 PH 2 x 25 mm
2	Screwdrivers w/ impact cap - Phillips® screws	4011 PH 1 x 80 - PH 3 x 150 mm
3	Screwdrivers w/ impact cap - slotted screws	4001 SL 6.5 x 150 - 8 x 175 - 10 x 200 mm
3	Insulated Screwdrivers - Phillips® screws	4210 PH 0 x 60 - PH 1 x 80 - PH 2 x 100 mm
1	Insulated Screwdriver - Pozidriv® screws	4220 PZ 2 x 100 mm
3	Insulated Screwdrivers - slotted screws	4200 SL 2.5 x 75 - 4 x 100 - 5.5 x 125 mm



CONTENT:

QTY.	DESCRIPTION	SIZE
26	Combination wrenches	2000 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm
12	Reversible ratchet combination wrenches	2005 8-9-10-11-12-13-14-15-16-17-18-19 mm
7	Offset combination wrenches	2100 8-10-12-13-15-17-19 mm
6	Double swivel end socket wrenches	2400 8 x 9 - 10 x 11 - 12 x 13 - 14 x 15 - 16 x 17 - 18 x 19 mm
3	Gear wrench adaptors	2095 A/3 1/4" - 3/8" - 1/2"



CONTENT:

QTY.	DESCRIPTION	SIZE
3	Internal circlip pliers, bent	3105 12-25 mm - 19-60 mm - 40-100 mm
3	Internal circlip pliers, straight	3100 12-25 mm - 19-60 mm - 40-100 mm
3	External circlip pliers, bent	3115 10-25 mm - 19-60 mm - 40-100 mm
3	External circlip pliers, straight	3110 10-25 mm - 19-60 mm - 40-100 mm
1	Combination plier	3001 180 mm
1	Long nose plier	3005 200 mm
1	Diagonal plier	3002 160 mm
1	Water pump plier	3020 250 mm
1	Insulated combination plier	3001 180 mm
1	Insulated long nose plier	3005 200 mm
1	Insulated diagonal plier	3002 160 mm
1	Wire stripper	3009 160 mm



**CONTENT:**

QTY.	DESCRIPTION	SIZE
12	Bits - Phillips® screws	4514 1/4" ACR 4 x PH1 - 7 x PH2 - 1 x PH3
12	Bits - Pozidriv® screws	4514 1/4" ACR 4 x PZ1 - 7 x PZ2 - 1 x PZ3
14	Bits - Torx® screws	4514 1/4" TX T6 - T7 - T8 - T9 - T10 - T15 - 3xT20 - 3xT25 - T30 - T40
9	Bits - Tamper resistant Torx® screws	4514 1/4" STX T10 - T15 - 2xT20 - 2xT25 - T27 - T30 - T40
6	Bits - hex head screws	4514 1/4" H 2 - 3 - 4 - 5 - 6 - 8 mm
7	Bits - slotted head screws	4514 1/4" SL 3.5 - 4 - 4.5 - 5 - 5.5 - 6.5 - 8 mm
3	Bits - square head screws	4514 1/4" SQ 1 - 2 - 3
4	Bits - slotted head screws	4516 5/16" SL 6 - 8 - 10 - 12 mm
4	Bits - Phillips® screws	4516 5/16" ACR PH1 - PH2 - PH3 - PH4
4	Bits - hex head screws	4516 5/16" H 4 - 5 - 6 - 8 mm
5	Bits - Torx® screws	4516 5/16" TX T30 - T40 - T45 - T50 - T55
11	Bits - Torx® screws	4510 10MM TX T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55
6	Bits - hex head screws	4510 10 MM H 5 - 6 - 7 - 8 - 9 - 10 mm
8	Long bits - Torx® screws	4510 10 MM TXL T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55
6	Long bits - hex head screws	4510 10 MM HL 5 - 6 - 7 - 8 - 9 - 10 mm
2	Bits - Torx® screws	4511 14 MM TX T60 - T70
4	Bits - hex head screws	4511 14 MM H 12 - 14 - 17 - 19 mm
2	Long bits - Torx® screws	4511 14 MM TXL T60 - T70
4	Long bits - hex head screws	4511 14 MM HL 12 - 14 - 17 - 19 mm
1	Impact screwdriver socket	4712 IB 1/2" x 5/16"
1	Impact bit driver	4712 ID 1/2"
1	Flexible extension with quick release bit holder	4714 QRF 1/4"
1	Bit screwdriver handle	4046 1/4"
1	Extension	4714 ME 1/4" 63 mm
1	Screwdriver bit socket	4738 3/8" x 10 mm
2	Screwdriver bit sockets	4712 1/2" x 10 mm - 1/2" x 14 mm
1	Tap and die set	8570 S/16 (16 pcs.)
3	Hook wrenches	2310 20-50 - 35-75 - 50-120 mm
3	Hook wrenches	2312 20-50 - 35-75 - 50-120 mm
1	Feeler gauge set (20 pcs.)	9350 S/20 0.05-1.0 mm
6	Pin punches	8200 2 x 115 - 3 x 125 - 4 x 150 - 5 x 165 - 6 x 180 - 8 x 180 mm
2	Flat cold chisels	8220 12 x 130 - 18 x 165 mm
1	Center punch	8210 4 x 120 mm
9	Long angled ball point hexagon keys (metric)	4195 LS/9 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm
13	Long angled ball point hexagon keys (inch)	4195 LIS/13 0.05 - 1/16 - 5/64 - 3/32 - 7/64 - 1/8 - 9/64 - 5/32 - 3/16 - 7/32 - 1/4 - 5/16 - 3/8"
9	Long keys - Torx® head screws	4190 LTS/9 TX T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40




**CONTENT:**

QTY.	DESCRIPTION	SIZE
1	Oil filter strap wrench	8610 225 mm
3	Hose clamp pliers	3315 1/4"-3/4" - 1/4"-1 1/4" - 3/4"-2 1/4"
1	Engineers hammer	8030 300 g
1	Sledge hammer	8040 1000 g
1	Dead blow hammer	8060 40 mm
1	Professional crimping tool	3052 245 mm
20	Male bullet connectors	Blue 6.3 x 0.8 mm
20	Female bullet connectors	Blue 6.3 x 0.8 mm
20	Butt connectors	Blue
20	Butt connectors	Red
20	Spade connector	Blue #8
20	Ring terminals	Red #6
1	End cutting plier, precision	3603 125 mm
1	Diagonal cutting plier, precision	3602 125 mm
1	Long nose plier, precision	3605 150 mm
1	Bent nose plier, precision	3606 150 mm
1	Locking plier	3200 250 mm
10	Stubby combination wrenches	2001 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm



**CONTENT:**

QTY.	DESCRIPTION	SIZE
3	Screwdrivers - slotted screws, precision	4400 SL 2 - 2.5 - 3mm
2	Screwdrivers - hex head screws, precision	4435 H 2 - 2.5mm
3	Screwdrivers - Phillips® screws, precision	4410 PH 00 - 0 - 1
6	Screwdrivers - Torx® screws, precision	4431 TX T6 - T7 - T8 - T9 - T10 - T15
1	Precision screwdrivers set	4492 S/13 (13-in-1)
1	Vernier caliper	9200 150 mm
13	Twist impact sockets	6112 1/2" TW 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 24 - 27 mm
1	Telescopic inspection mirror	9006 IH Ø 50 mm
1	Telescopic magnification	9009 Ø 55 mm
1	Magnetic pick-up tool	9000 AM 2 Kg
1	Telescopic inspection mirror w/ magnet and scribe	9004 3-in-1
1	Gasket scraper	8312 160 mm
2	Hooks, 90° offset and 135° bent	8330 / 8332
1	Hand rivet tool	9650 2.4 - 5.0 mm
80	Blind rivets	Ø2.4x5.8 mm - Ø3.2x8.0 mm - Ø4.0x8.0 mm - Ø4.8-8.0 mm
1	Hand rivet nut tool	9660 M3 - M6
80	Rivet nuts	M3 - M4 - M5 - M6
5	Screw extractors	8492 S/5 3-6, 6-8, 8-11, 11-14, 14-18 mm



**CONTENT:**

QTY.	DESCRIPTION	SIZE
1	C-Clamp locking plier	3220 275 mm
1	Welding grip plier	3252 225 mm
1	Sheet metal grip plier	3250 200 mm
1	Long plier with long jaws	3205 150 mm
2	Tape rules	9400 3 m - 5 m
1	Ergonomic hack saw	9210 300 mm
1	Utility knife	9115 B
3	Rolling head pry bars	8350 300 - 400 - 500 mm
3	Heavy duty pry bar	8352 300 - 450 - 600 mm
3	Nut splitters	8494 3-12 - 12-16 - 16-22 mm
1	Steel rule	9340 200 mm



**CONTENT:**

QTY.	DESCRIPTION	SIZE
14	6-point sockets	5034 3/4" 19 - 21 - 22 - 24 - 27 - 30 - 32 - 33 - 34 - 36 - 38 - 41 - 46 - 50 mm
1	Ratchet, 48 teeth	5334 3/4"
1	Sliding T-handle	5434 3/4" TH 450 mm
2	Extensions	5234 3/4" EX 200 - 400 mm
8	6-point impact sockets	6012 1/2" 13 - 15 - 16 - 17 - 18 - 19 - 22 - 24 mm
8	Long 6-point impact sockets	6012 1/2" L 13 - 15 - 16 - 17 - 18 - 19 - 22 - 24 mm
3	Torsion bars with hex sockets	6112 1/2" TBS 17 mm x 120 NM, 19 mm x 120 NM, 21 mm x 120 NM
2	Adjustable wrenches	2600 150 - 250 mm
40	Bits - Phillips® screws	4514 1/4" 20 x PH1 - 20x PH2
40	Bits - Pozidriv® screws	4514 1/4" 20 x PZ1 - 20 x PZ2
60	Bits - Torx® screws	4514 1/4" TX 20 x T15 - 20 x T20 - 20 x T25
4	Stud extractor sockets	8493 1/2" 6 - 8 - 10 - 12 mm
6	Hexagon oil service sockets	8630 3/8" H 8 - 9 - 10 - 12 - 14 - 17 mm
6	Square oil service sockets	8630 3/8" SQ 7 - 8 - 11 - 13 mm, 5/16" - 3/8"
1	Female square oil service socket	8630 FSQ 10 mm
1	Triangular oil service socket	8630 TRI

**1875 S14 MEGA 1000+ TOOL SET - 1151 TOOLS**

ITEM NO. 1875-1151

5704196 043890 85,8 KG

- Tool set S13 (Item no. 1875-1129) including T-handle screwdriver set (Item no. 1875-1000-12).
- 1151 tools.

**MEGA 1000+**  
**+ 22 TOOLS**



**CONTENT:**

QTY.	DESCRIPTION	SIZE
9	T-handle hex nutspinners	4142 5 - 5.5 - 6 - 7 - 8 - 10 - 11 - 12 - 13 mm
6	T-handle hex screwdrivers with ball point	4108 2.5 - 3 - 4 - 5 - 6 - 8 mm
7	T-handle Torx® screwdrivers	4137 T10 - T15 - T20 - T25 - T27 - T30 - T40